2004
Nevada
Commercial
Vehicle
Handbook




JEVADA DOT Nevada Department of Transportation

In Cooperation with
















Governor



#### OFFICE OF THE GOVERNOR

This handbook was developed by agencies that are dedicated to improving truck safety and efficiency. It serves as a quick reference for the professional commercial motor carrier driver, and others who are concerned about commercial motor vehicle travel within Nevada.

Nevada counts on trucking. Our population and economy continue to be among the fastest growing in the nation. These businesses rely on the trucking industry to serve as a vital link between our growing economy and the nation. Trucking services every community in Nevada. Nearly 80% of all communities depend exclusively on trucking to deliver their goods.

Whether you are operating in Nevada or passing through, it is our goal to provide you the general guidelines to ensure continued safe, efficient and timely movement of goods in Nevada.

Drive smart, buckle up and enjoy Nevada.

Sincerely,

Governor

KCG/boc

## Trucking in Nevada

## A Handbook for Commercial Vehicle Operators

January 2004

### **DISCLAIMER**

This document constitutes the general guidelines for operation of a commercial vehicle in Nevada and is not intended to be all-inclusive. If further information is required, contact the appropriate agency listed in the Helpful Numbers section on page X.

The Department of Motor Vehicles website is located at www.dmvnv.com. In addition, you can log on to NDOT's website at www.nevadadot.com/business/trucker. For Nevada Revised Statutes (NRS) or Nevada Administrative Codes (NAC) on trucking in Nevada, you can log on to the legislative website at www.leg.state.nv.us.

## Trucking in Nevada

### Director's Message

Safe and simple! That's our travel goal for all Nevada motorists. But it means more to people who earn their living hauling the goods that we use every day.

Here are a few special safety tips for driving in Nevada:

- Take the time to stop and rest while traveling this big state. Driver fatigue accounts for a sizeable portion of the crashes here. Watch the roads for fatigued drivers in other vehicles too.
- Slow down through the urban areas in Las Vegas and Reno. Often the drivers and pedestrians in these cities are tourists who are unfamiliar with the area. Also, in the city watch for drivers who run red lights.
- Check and adjust your brakes before traveling Nevada's mountainous terrain. Although better known for its vast deserts, Nevada has 51 mountain peaks above 9,000 feet.
- Be prepared for winter storms in northern Nevada. Nevada means, "snow-capped" in Spanish.
- Be on the lookout for high-wind conditions that can pop up nearly anywhere or any time. We may have snow in the mountains but we're still mostly desert.

How simple is trucking in Nevada? Generally, Nevada has fewer restrictions on trucking than other states. For reducible loads, we allow a number of trailer combinations, including triples. For non-reducible loads, we offer efficient permitting that will get your load to its destination, while minimizing the impact to our roads and bridges.

Our commercial enforcement efforts include a mobile

PrePass unit. This unit allows many of the nation's PrePass customers to bypass our inspection stations. Other improvements for truck enforcement are being developed under a national plan called Intelligent Transportation Systems for Commercial Vehicle Operations.



Finally, we are proud of Nevada's high-quality pavement. Our roads are among the nation's best. We hope you find your travel here safe, simple -- and smooth.

Jeff Fontaine, P.E. Director, Nevada Department of Transportation

### **Organizational Structure**

This handbook was developed by agencies that are dedicated to improving truck safety and efficiency. Those agencies and their roles in trucking are shown below.

### **Nevada Motor Transport Association (NMTA)**

The Nevada Motor Transport Association is a nonprofit organization that promotes the trucking industry. The organization supports laws that make highways safer and easier to drive, while keeping truck taxes low. Find the NMTA at www nmta com

### **Nevada Department of Transportation (NDOT)**

The Nevada Department of Transportation builds and maintains the state highways. NDOT plans its highways to provide safe and efficient travel for all vehicles. including trucks. NDOT also issues non-reducible load permits. Find NDOT at www.nevadadot.com.



### **Nevada Department of Public** Safety (DPS)

One of the Nevada Department of Public Safety's many jobs is to ensure the safety of the motoring public through enforcement and education. On the highway, the Nevada



Highway Patrol (NHP) division does this job. The NHP is also responsible for hazardousmaterials permits. Find the DPS at www.ps.state.nv.us.

### Nevada Department of Motor Vehicles (DMV)



The Nevada Department of Motor Vehicles registers trucks, collects fuel taxes, and issues

driver licenses. Also, if you need trip permits or reducible-load permits, you will get them through this department. Find the DMV at www.dmvnv.com.

### Federal Motor Carrier Safety Administration (FMCSA)

It is the Federal Motor Carrier Safety Administration's job to increase safety on our highways. The agency educates people regarding



safe driving practices in and around trucks. Find the FMCSA at www.fmcsa.dot.gov.

### Nevada Transportation Services Authority (TSA)

The TSA administers and enforces state laws pertaining to passenger transportation, household goods, movers, and tow cars. Find the TSA at <a href="https://www.state.nv.us/b&i/tsa/">www.state.nv.us/b&i/tsa/</a>.



### **Table of Contents**

Director's Message	
Organizational Structure	V
Helpful Telephone Numbers & Web Sites	X
CVI A DEFINAL DEPARTMENT	
CHAPTER I: PERMITS	
Trip Permits Temporary Registration	l
Temporary Registration	l
Temporary Special-Fuel Use	3
Oversize and Overweight Permits	3
General Size & Weight Restrictions	4
Height Limitations	4
Width Limitations	
Length Limitations	
Weight Limitations	5
Federal Bridge Formula	5
Reducible Loads	9
Reducible Load Examples	9
Obtaining Permits for Reducible Loads	9
Fees for Reducible Load Permits	10
Permit Requirements for Reducible Loads	10
Length	10
Weight	11
Non-Reducible Loads	11
Non-Reducible Load Examples	11
Obtaining Permits for Non-Reducible Loads	11
Fees for Non-Reducible Load Permits	12
Permit Requirements for Non-Reducible Loads	13
Height	13
Width	13
Length	13
Weight	13
Overhang	13
Weekend, Holiday and Nighttime	
Overdimensional Restrictions	14
Single-Trip Permits	14
Annual Permits	14
Pilot Cars	15
Special Size Considerations	15
Routes with Special Width and Length Restrictions	16
Width Restrictions	16
Length Restrictions	18
Spring-Thaw Route Restrictions	19
Permit Examples	20
Hazardous-Materials Permits	23

### **Table of Contents**

Single-Trip, Hazardous-Materials Permit	
Annual Hazardous-Materials Permit (Uniform)	
Flashing Amber-Light Permits	26
CHAPTER II: NEVADA MOTOR CARRIER	
SAFETY PROGRAM	27
Commercial Motor Vehicle Definition	
Goal	27
Nevada Highway Patrol	27
Commercial Vehicle Inspections	
Federal Motor Carrier Safety Administration	
Security and Sensitivity Program	
Contacting the FMCSA	
Weather Conditions	31
New Hours-of-Service Rules	31
CHAPTER III: COMMERCIAL	
DRIVER'S LICENSE	32
CDL Cassifications, Endorsements,	
Restrictions & Exemptions	32
Classifications	
Endorsements	
Restrictions	
Exemptions	33
CDL Qualifications	34
Legal Age Requirements	34
Medical Examination Requirements	
Driving Record Requirements	35
CDL Renewal	35
CDL Instruction Permit	36
CDL Transfer	36
CDL Upgrades	37
CDL Fees	
Driving Under the Influence (DUI) Laws	37
Office Locations	38
Commercial Driver's License Tests	
Knowledge Tests	
Skills Tests	

### **Table of Contents**

Other CDL Rules	
Serious Traffic Violations	42
Disqualifications	42
Implied Consent	
-	
<b>CHAPTER IV: OPERATING CREDENTIALS</b>	
Credentials Required at All Times	
Vehicle Registration	
Prorated (Apportioned) Registration	
Governmental Services Tax (Formerly Privilege Tax)	
Proof of Vehicle Insurance	
General Liability Insurance	
Cargo Insurance	46
Special-Fuel Tax License	46
International Fuel Tax Agreement (IFTA)	47
Licensing Under Nevada IFTA	47
Interstate Operating Authority	48
U.S.D.O.T. Number	48
Motor Carrier Number (Old I.C.C. Number)	48
Contacts	48
Additional Credentials Required at Registration	49
Heavy-Vehicle Use Tax	49
Proof of Vehicle Ownership	49
Special Credentials that May Be Required	49
Intrastate Operating Authority	50
Transportation Services Authority (TSA)	
Written Authorization from DMV	
Other Important Information	
Dyed Fuel Enforcement	
Traffic Restrictions on Hoover Dam	
Vehicle Identification	
Emission Control	
CHAPTER V: NEW PROGRAMS	53
Online Registration	53
Online Permitting	53
PrePass® Program	53
Highway Watch Program	
New Highway Projects	
Permit Quick Reference	

### **Helpful Telephone Numbers & Web Sites**

Emergency and	
Accident Reporting	or *NHP (*647)
(these are free calls)	from a cell phone

### **Nevada Department of Transportation** www.nevadadot.com



Road Conditions & Weather:	1-877-NVROADS
	(1-877-687-6237)
Non-Reducible Load Permits	(775) 888-7410
Toll free:	(800) 552-2127

### **Nevada Department of Motor Vehicles** www.dmvnv.com



Compliance Enforcement Division **Motor Carrier Section** 

www.dmvnv.com/mchome.html

Temporary Trip, Reducible Load
& Fuel Permits (775) 684-4711
Toll free: (877) 368-7828
Registration & Licensing(775) 684-4711, Ext. 1
Fuel Tax(775) 684-4711, Ext. 2
Dyed Fuel (info/report violation)
Heavy Duty Diesel Enforcement Officers
S. Nevada(702) 486-8626
N. Nevada(775) 684-3562
Commercial Driver's License Section
N. Nevada(775) 688-2535
S. Nevada(702) 486-5655

### **Nevada Highway Patrol**

www.dmvnv.com/nvdl.htm#cdl.

www.nhp.state.nv.us

 $\mathbf{C}$ 



Las Vegas Office	(702) 486-4100
Reno Office	(775) 688-2500
Carson City Office	(775) 687-5300
Flashing Amber Light Permits and	, ,
Hazardous Materials Permits	(775) 684-4622

### **Department of Agriculture**

Brand Inspectors	(775)	) 684-5333
------------------	-------	------------

Federal **Motor Carrier** Safety **Administration**.....(775) 687-5335



www.fmcsa.dot.gov

### **Nevada Motor Transport Association** www.nmta.com

N. Nevada	(775)	673-6111
S. Nevada	(702)	262-5665

### **Nevada Transportation Services Authority**

www.state.nv.us/b&i/tsa/

N. Nevada	(775) 688-2800
S. Nevada	(702) 486-3303



# **Chapter I: PERMITS**

Under special conditions, commercial vehicle operators may need permits to operate on Nevada's highways. The following is a list of permits that may be required.

- Trip permits
- · Oversize and overweight permits
- Hazardous-material permits
- Flashing amber-light permits

Because Nevada has no permanent ports of entry, we recommend that truckers obtain all required permits prior to entering Nevada. Otherwise they must be obtained at the first available permit station.

This booklet addresses requirements for commercial vehicles on the state-maintained highway system. Municipal authorities that have requirements for oversize or overweight vehicles on their roads include:

Clark County City of Las Vegas (702) 445-6100 (702) 229-6327

### **Trip Permits**

### Temporary Registration

A temporary trip permit, good for 24 hours (120 hours for buses) on a specific highway, is required in these four cases:

- 1. An *inter*state trucker who has not declared Nevada for apportioned registration under the International Registration Plan (IRP).
- 2. A trucker, based outside Nevada, who rarely makes trips to Nevada. (For example, a California trucker who makes one trip to Nevada.)
- 3. A Nevada trucker who does not register his vehicle because it is used infrequently. (For example, a rancher who transports a load once a year.)
- 4. Any trucker who needs to temporarily increase the declared gross weight from the registered weight.

The temporary-trip permit, purchased from the Department of Motor Vehicles, is \$5 plus 15 cents per mile traveled in Nevada. The DMV estimates the miles that will be traveled during the effective period of the permit.

Temporary trip permits must be obtained from the first available vendor. DMV offices that can issue these permits are:

Reno:	North Las Vegas:	Carson City:
305 Galletti Way	4110 Donovan Way	555 Wright Way
Reno, NV	North Las Vegas,	Carson City, NV
89512	NV 89030	89711
(775) 684-3571	(702) 486-5667	(775) 684-4711

Elko: Ely:

3920 E. Idaho St. 178 North Avenue F Elko, NV 89801 Ely, NV 89301 (775) 738-4458 (775) 289-1606

### Temporary Special-Fuel Use

A temporary permit for special fuel authorizes the operation of a motor vehicle on Nevada's highways from point of entry to point of exit for not more than 24 consecutive hours. The permit, also purchased from the DMV, is a flat \$30.

A temporary special-fuel use permit is required for these two cases:

- 1. A trucker based outside Nevada, who does not hold an IFTA license.
- 2. A Nevada trucker who does not register his vehicle because it is used infrequently.

See Chapter IV: Operating Credentials for more information on IFTA (International Fuel Tax Agreement).

Temporary trip and special-fuel permits are available at the DMV offices in Carson City, Elko, Ely, North Las Vegas (CDL office) and Reno (see page 2). They are also available through wire services for an additional fee. Contact the DMV Motor Carrier Section at (775) 684-4711 for more information, and the names of wire services.

### **Oversize and Overweight Permits**

Permits are required for all trucks that exceed the size and weight limits mentioned under "General Size and Weight Restrictions" below. Permits may be issued for nearly all size and weight vehicles and combinations. They are issued for specific loads on specific roads for specific time periods.

Oversize and overweight permits are issued based on whether a load is reducible or non-reducible. All truckers should know the difference between "reducible" and "nonreducible" loads

Reducible Load – A load that can be reduced in length, width or height. (Also referred to as a divisible load.) Example: Gravel.

*Non-Reducible Load* – A load that cannot be reduced in length, width or height. (Also referred to as a non-divisible load.) Example: The Queen Mary.

### General Size and Weight Restrictions

Vehicles exceeding the following size and weight limitations require a permit to travel on state-maintained highways. Truckers must contact city, county, and other public and private entities for permits regarding travel on roads under those jurisdictions.

### Height Limitations

Maximum height for any vehicle including load: 14 feet.

Exception:

A vehicle with a load of baled hay is permissible up to 15 feet.

### Width Limitations

Maximum width of any vehicle: 102 inches (8'-6"). *Exceptions:* 

A vehicle carrying a load of loosely piled agricultural products such as hay, must not exceed 120 inches (10 feet). This includes any retaining racks.

Farm equipment up to 120 inches wide may be hauled, driven, or towed over National Defense highways (Interstates and certain connector roads). It may be moved up to 25 miles from point of origin, at speeds up to 30 miles per hour. Farm equipment exceeding 120 inches wide can be moved on any other state highway up to 25 miles, at up to 30 mph. No permit is required if these maximums are not exceeded.

### Length Limitations

Maximum length of a vehicle or combination: 70 feet.

Length of a motortruck: 40 feet.

Length of a bus: 45 feet.

#### Exception:

A passenger bus which has three axles and two sections joined together by an articulated joint with a trailer which is equipped with a mechanically steered rear axle: 65 feet.

### Weight Limitations

Weight Limitations on Interstate Highways:

Interstate highways have the same axle-weight restrictions as all routes. However, the Declared Gross Vehicle Weight (DGVW) may not exceed 80,000 pounds without a permit.

Weight Limitations on All Routes:

Axle Limitation:

Single Axles – 20,000 lbs.
Tandem Axles – 34,000 lbs.
Tridem Axles – 42,000 lbs.
Other Axle Groups and DGVW – based on Federal Bridge Formula

### Tire Limitations:

- Steering Axles:
  - Maximum of 600 pounds per inch of tire width
- Other Axles:
  - Maximum of 500 pounds per inch of tire width
  - Four tires per axle required if:
    - o The axle load is 10,000 pounds or more, and
    - The tires on that axle are less than 14 inches wide.

### Federal Bridge Formula

Nevada uses the federal-bridge-formula table, commonly known as the "Bridge Table." This table is designed to minimize the damage to bridges and pavement caused by a heavy load spanning too short a distance between axles. Maximums shown are for reducible loads, and non-reducible permit applications will be reviewed on an individual basis.

### BRIDGE TABLE FOR NEVADA FOR DETERMINING MAXIMUM VEHICLE WEIGHT BASED ON NUMBER OF AXLES AND SPACING

Distance in feet between the extremes of any group of consecutive axles.

Maximum load in pounds carried on any group of consecutive axles.

	2	3	4	5	6	7	8	9
	Axles							
4	34,000							
5	34,000							
6	34,000							
7	34,000							
8	34,000	42,000						
9	39,000	43,000						
10	40,000	43,500						
11	40,000	44,500						
12	40,000	45,000	50,000					
13	40,000	46,000	50,500					
14	40,000	46,500	51,500					
15	40,000	47,500	52,000					
16	40,000	48,000	52,500	58,000				
17	40,000	49,000	53,500	58,500				
18	40,000	49,500	54,000	59,500				
19	40,000	50,500	54,500	60,000				
20	40,000	51,000	55,500	60,500	66,000			
21	40,000	52,000	56,000	61,000	66,500			
22	40,000	52,500	56,500	62,000	67,000			
23	40,000	53,500	57,500	62,500	68,000			
24	40,000	54,000	58,000	63,000	68,500	74,000		
25	40,000	55,000	58,500	63,500	69,000	74,500		
26	40,000	55,500	59,500	64,500	69,500	75,000		
27	40,000	56,500	60,000	65,000	70,000	76,000		
28	40,000	57,000	60,500	65,500	71,000	76,500	82,000	
29	40,000	58,000	61,500	66,000	71,500	77,000	82,500	
30	40,000	58,500	62,000	67,000	72,000	77,500	83,000	
31	40,000	59,500	62,500	67,500	72,500	78,000	83,500	
32	40,000	60,000	63,500	68,000	73,000	78,500	84,500	90,000
33	40,000	60,000	64,000	68,500	74,000	79,500	85,000	90,500
34	40,000	60,000	64,500	69,500	74,500	80,000	85,500	91,000
35	40,000	60,000	65,500	70,000	75,000	80,500	86,000	91,500

#### **Table Continued:**

	2	3	4	5	6	7	8	9
	Axles	Axles	Axles	Axles	Axles	Axles	Axles	Axles
36	40,000	60,000	66,000*	70,500	75,500	81,000	86,500	92,500
37	40,000	60,000	66,500*	71,000	76,000	81,500	87,000	93,000
38	40,000	60,000	67,500*	72,000	77,000	82,000	87,500	93,500
39	40,000	60,000	68,000	72,500	77,500	83,000	88,500	94,000
40	40,000	60,000	68,500	73,000	78,000	83,500	89,000	94,500
41	40,000	60,000	69,500	73,500	78,500	84,000	89,500	95,000
42	40,000	60,000	70,000	74,500	79,000	84,500	90,000	95,500
43	40,000	60,000	70,500	75,000	80,000	85,000	90,500	96,000
44	40,000	60,000	71,500	75,500	80,500	85,500	91,000	97,000
45	40,000	60,000	72,000	76,000	81,000	86,500	91,500	97,500
46	40,000	60,000	72,500	77,000	81,500	87,000	92,500	98,000
47	40,000	60,000	73,500	77,500	82,000	87,500	93,000	98,500
48	40,000	60,000	74,000	78,000	83,000	88,000	93,500	99,000
49	40,000	60,000	74,500	78,500	83,500	88,500	94,000	99,500
50	40,000	60,000	75,500	79,500	84,000	89,000	94,500	100,000
51	40,000	60,000	76,000	80,000	84,500	90,000	95,000	100,500
52	40,000	60,000	76,500	80,500	85,000	90,500	95,500	101,500
53	40,000	60,000	77,500	81,000	86,000	91,000	96,500	102,000
54	40,000	60,000	78,000	82,000	86,500	91,500	97,000	102,500
55	40,000	60,000	78,500	82,500	87,000	92,000	97,500	103,000
56	40,000	60,000	79,500	83,000	87,500	92,500	98,000	103,500
57	40,000	60,000	80,000	83,500	88,000	93,500	98,500	104,000
58	40,000	60,000	80,000	84,500	89,000	94,000	99,000	104,500
59	40,000	60,000	80,000	85,000	89,500	94,500	99,500	105,000
60	40,000	60,000	80,000	85,500	90,000	95,000	100,500	106,000
61	40,000	60,000	80,000	86,000	90,500	95,500	101,000	106,500
62	40,000	60,000	80,000	87,000	91,000	96,000	101,500	107,000
63	40,000	60,000	80,000	87,500	92,000	97,000	102,000	107,500
64	40,000	60,000	80,000	88,000	92,500	97,500	102,500	108,000
65	40,000	60,000	80,000	88,500	93,000	98,000	103,000	108,500
66	40,000	60,000	80,000	89,500	93,500	98,500	103,500	109,000
67	40,000	60,000	80,000	90,000	94,000	99,000	104,500	109,500
68	40,000	60,000	80,000	90,500	95,000	99,500	105,000	110,500
69	40,000	60,000	80,000	91,000	95,500	100,500	105,500	111,000
70	40,000	60,000	80,000	92,000	96,000	101,000	106,000	111,500
71	40,000	60,000	80,000	92,500	96,500	101,500	106,500	112,000
72	40,000	60,000	80,000	93,000	97,000	102,000	107,000	112,500
73	40,000	60,000	80,000	93,500	98,000	102,500	107,500	113,000
74	40,000	60,000	80,000	94,500	98,500	103,000	108,500	113,500
75	40,000	60,000	80,000	95,000	99,000	104,000	109,000	114,000
76	40,000	60,000	80,000	95,500	99,500	104,500	109,500	115,000

<sup>\*</sup> If the four axles are two consecutive sets of tandem axles with a distance of 36 feet or more between the first and last axle, the axles may carry a total weight of 68,000, but neither tandem axle may carry more than 34,000 pounds.

#### **Table Continued:**

	2	3	4	5	6	7	8	9
	Axles	Axles	Axles	Axles	Axles	Axles	Axles	Axles
77	40,000	60,000	80,000	96,000	100,000	105,000	110,000	115,500
78	40,000	60,000	80,000	97,000	101,000	105,500	110,500	116,000
79	40,000	60,000	80,000	97,500	101,500	106,000	111,000	116,500
80	40,000	60,000	80,000	98,000	102,000	106,500	111,500	117,000
81	40,000	60,000	80,000	98,500	102,500	107,500	112,500	117,500
82	40,000	60,000	80,000	99,500	103,000	108,000	113,000	118,000
83	40,000	60,000		100,000	104,000	108,500	113,500	118,500
84	40,000	60,000		100,000	104,500	109,000	114,000	119,500
85		60,000		100,000	105,000	109,500	114,500	120,000
86	40,000	60,000		100,000	105,500	110,000	115,000	120,500
87		60,000		100,000	106,000	111,000	115,500	121,000
88		60,000		100,000	107,000	111,500	116,500	121,500
89	40,000	60,000		100,000	107,500	112,000	117,000	122,000
90	- ,	60,000		100,000	108,000	112,500	117,500	122,500
91	40,000	60,000		100,000	108,500	113,000	118,000	123,000
92		60,000		100,000	109,000	113,500	118,500	124,000
93	40,000	60,000		100,000	110,000	114,500	119,000	124,500
94	40,000	60,000	80,000	100,000	110,500	115,000	119,500	125,000
95	- ,	60,000		100,000	111,000	115,500	120,500	125,500
96	40,000	60,000		100,000	111,500	116,000	121,000	126,000
97	40,000	60,000		100,000	112,000	116,500	121,500	126,500
98	40,000	60,000		100,000	113,000	117,000	122,000	127,000
99	40,000	60,000		100,000	113,500	118,000	122,500	127,500
100	40,000	60,000		100,000	114,000	118,500	123,000	128,500
101		60,000		100,000	114,500	119,000	123,500	129,000
102	40,000	60,000		100,000	115,000	119,500	124,500	129,000
103	40,000	60,000		100,000	116,000	120,000	125,000	129,000
104	- ,	60,000		100,000	116,500	120,500	125,500	129,000
105	40,000	60,000		100,000	117,000	121,500	126,000	129,000
106	40,000	60,000		100,000	117,500	122,000	126,500	129,000
107	40,000	60,000		100,000	118,000	122,500	127,000	129,000
108		60,000		100,000	119,000	123,000	127,500	129,000
109	- ,	60,000		100,000	119,500	123,500	128,500	129,000
110	40,000	60,000		100,000	120,000	124,000	129,000	129,000
111	40,000	60,000		100,000	120,000	125,000	129,000	129,000
112	40,000	60,000		100,000	120,000	125,500	129,000	129,000
113		60,000		100,000	120,000	126,000	129,000	129,000
114	40,000	60,000		100,000	120,000	126,500	129,000	129,000
115	40,000	60,000		100,000	120,000	127,000	129,000	129,000
116		60,000		100,000	120,000	127,500	129,000	129,000
117	40,000	60,000		100,000	120,000	128,500	129,000	129,000
118	- ,	60,000		100,000	120,000	129,000	129,000	129,000
119	40,000	60,000	80,000	100,000	120,000	129,000	129,000	129,000
120	40,000	60,000	80,000	100,000	120,000	129,000	129,000	129,000

The 129,000-pound values shown in faded green are maximums for *reducible* loads only. Allowable maximum weights for *non-reducible* loads are higher, but are not shown to avoid confusion.

#### Reducible Loads

Reducible-Load Examples

The following are examples of reducible (divisible) loads. They are loads that can be reduced in length, width, or height:

Agricultural products, textiles, earthen materials, foodstuffs, palletized goods, bulk materials, or other commodities.

Obtaining Permits for Reducible Loads

Vehicles Over 70 Feet Long

The Department of Motor Vehicles issues *annual* (multitrip), reducible-load permits for vehicles that are more than 70 feet long. These permits run from January 1 through December 31 of a given year. To obtain this permit, contact the Department of Motor Vehicles at:

Nevada Department of Motor Vehicles 555 Wright Way Carson City, NV 89711 Phone: (775) 684-4711 Office hours:

Monday through Friday, 8:00 a.m. − 5:00 p.m.

Vehicles Under 70 Feet Long, and Over 80,000 Pounds

The Department of Transportation issues reducible-load permits for vehicles that are up to 70 feet long, and exceed 80,000 pounds. Single-trip and annual (multi-trip) permits are available. Single-trip permits are valid for one trip in a five day period. Annual permits run one year from the date of issue (e.g., May 15, 2003 through May 15, 2004). Permitted vehicles or combinations cannot exceed the Federal Bridge Formula limits. To obtain these permits, contact NDOT's Overdimensional Permit Section at:

Nevada Department of Transportation 1263 South Stewart Street, Room 102 Carson City, NV 89712 Phone: (775) 888-7410

Toll-Free (800) 552-2127 Fax: (775) 888-7103

www.nevadadot.com/business/trucker/overdimensional/

#### Office hours:

Counter Service - Monday through Friday, 8:00 a.m. - 4:30 p.m. Phone Service - Monday through Friday, 7:30 a.m. - 5:00 p.m. Requests for permits will not be honored after 4:15 p.m.

### Fees for Reducible-Load Permits

<b>Combination Length</b>	Gross Vehicle Weight	Annual Fee
Longer than 70 feet	Heavier than 80,000 lb.	\$60 per each 1,000 lbs. over 80,000 lbs.
Longer than 70 feet	80,000 lb. or less	\$10
70 feet or less	Heavier than 80,000 lb.	\$60

### Permit Requirements and Restrictions for Reducible Loads

### Length

Reducible-load permits are required for any vehicle combination longer than 70 feet. Also:

- For a combination consisting of 2 or 3 cargo units, no cargo unit can exceed 48 feet
- For a combination consisting of 2 or 3 cargo units, if one of the cargo units is 48-feet long no other cargo unit can exceed 42 feet

There is NO permit available for a reducible load that *exceeds* the following:

- 95 feet of cargo-carrying length for a tractor followed by 2 or 3 trailing units, or
- 98 feet of cargo-carrying length for a truck-trailer or a truck-trailer-trailer.



Truck-trailer-trailer

For a combination consisting of three cargo units, the shortest trailer must be placed at the rear of a combination of vehicles. However, if a shorter trailer is heavier than the longer trailer, the longer trailer must be placed behind the shorter trailer. See also: "Routes with Special Width and Length Restrictions" on page 16.

### Weight

Reducible-load permits are required for a vehicle or combination greater than 80,000 pounds. The gross vehicle weight cannot exceed 129,000 pounds. (See also: "Spring-Thaw Route Restrictions on page 19.)

#### Non-Reducible Loads

### Non-Reducible Load Examples

The following are examples of non-reducible (non-divisible) loads. They are loads that cannot be reduced in length, width, or height:

Mobile homes, houses, machinery, construction equipment, fabricated units, mobile cranes, off-highway trucks, earth-moving equipment, etc.

Machinery with blades or rippers attached are considered a part of the machine and, therefore, are non-reducible.

### Obtaining Permits for Non-Reducible Loads

The Nevada Department of Transportation's Overdimensional Permit Section issues permits for non-reducible loads. The Overdimensional Permit Section can be reached at:

Nevada Department of Transportation 1263 South Stewart Street, Room 102 Carson City, NV 89712 Phone: (775) 888-7410 or,

Toll-Free: (800) 552-2127 Fax: (775) 888-7103

www.nevadadot.com/business/trucker/overdimensional/

#### Office hours:

Counter Service - Monday through Friday, 8:00 a.m. -4:30 p.m. Phone Service - Monday through Friday, 7:30 a.m. -5:00 p.m. Requests for permits will not be honored after 4:15 p.m.

Generally, non-reducible permits will be issued for a single trip; however, the department may issue annual multiple-trip permits that are valid for one year from the date of issue. Call NDOT at (775) 888-7410 to see if your vehicle and load fall into this category.

### Single-Trip Permit

The single-trip permit is valid for one trip in a five day period.

### Annual (Multiple-Trip) Permit

The annual permit is good for multiple trips for 12 months from the date issued. The following dimensions are the maximums allowed under this annual permit:

Height: 15 feet (mobile homes, 14 feet)

Width: 14 feet

Length: 110 feet (mobile homes (box), 80 feet)

### Fees For Non-Reducible Load Permits

A single-trip permit is \$25 and is valid for one trip in a 5-day period.

An annual multiple-trip permit is \$60 and is valid for 12 months

# Permit Requirements and Restrictions for Non-Reducible Loads

Permits are required for vehicles and combinations with non-reducible loads that exceed the size and weight limitations listed under "General Size and Weight Restrictions" on page 4. Before a permit is issued, an evaluation is made to determine if a vehicle and its load could cause damage to the highway, could be reduced in size, or could present a hazard to the motoring public.

Height

Vehicles and combinations up to 15 feet high (14 feet high for mobile homes) are allowed under single-trip or annual permits.

#### Width

Vehicles and combinations up to 14 feet wide are allowed under single-trip or annual permits.

See also "Routes with Special Width and Length Restrictions" on page 16.

Length

Vehicles and combinations longer than 110 feet (80 feet (box) for mobile homes) are allowed on a single-trip basis only.

See also "Routes with Special Width and Length Restrictions" on page 16.

*NOTE:* Special permission may be requested from the Nevada Department of Transportation for loads exceeding the height, width, and length restrictions listed above.

Weight

See "Spring-Thaw Route Restrictions" on p.19.

**Overhang** 

A permit is required for overhangs in the following cases:

- 1. The overhang causes a vehicle and its load to exceed 75 feet.
- 2. The overhang is longer than 10 feet, regardless of the total length of the vehicle and its load.

Weekend, Holiday, and Nighttime Overdimensional Restrictions

### **Single-Trip Permits**

A vehicle and its load with a single-trip permit must not exceed the following restrictions:

	Night		*Wee	*Weekends		days
	2 or 3 Lanes	4 or More Lanes	2 or 3 Lanes	4 or More Lanes	2 or 3 Lanes	4 or More Lanes
Width	10 ft.	10 ft.	14 ft.	14 ft.	10 ft.	10 ft.
Height	15 ft.	15 ft.	15 ft.	15 ft.	15 ft.	15 ft.
Length	105 ft.	110 ft.	105 ft.	110 ft.	105 ft.	110 ft.
Overhang	10 ft.	10 ft.	15 ft.	15 ft.	15 ft.	15 ft.

\* Weekend travel on I-80 between Sparks (Exit 21) and the California state line, or on I-15 between Las Vegas (Exit 33) and California must meet holiday travel restrictions because of the heavy tourist traffic.







Two Lanes

Three Lanes

Four Lanes

#### **Annual Permits**

A vehicle and its load with an annual multiple-trip permit must not exceed the following restrictions:

	Niş	ght	Weekends & Holidays		
	2 or3 Lanes	4 or More Lanes	2 or 3 Lanes	4 or More Lanes	
Width	10 ft.	10 ft.	10 ft.	10 ft.	
Height	15 ft.	15 ft.	15 ft.	15 ft.	
Length	105 ft.	110 ft.	105 ft.	110 ft.	
Overhang	10 ft.	10 ft.	15 ft.	15 ft.	

For more detailed information, see the Helpful Numbers section on page X.

#### Pilot Cars

Nevada requires pilot cars under certain conditions identified in the table below. In general, a pilot car must precede the escorted vehicle on roads of 2 to 3 lanes and follow the vehicle on roads of 4 lanes or more.

Number of Lanes	Width of Load	Or Overhang	Number of Pilot Cars	Placement
2 or 3	12 ft. 1 in. to 14 ft.	Over 25 ft. front	1	Front
2 or 3	14 ft. 1 in. to 16 ft.		2	1 Front; 1 Rear
4 or More	14 ft. 1 in. to 16 ft.	Over 25 ft.	1	Rear
4 or More	16 ft. 1 in. to 17 ft.		2	1 Front; 1 Rear



Special Size Considerations

Loads wider than 17 feet are reviewed on an individual basis.

Loads *higher than 15 feet 6 inches* require a lead pilot car *with a clearance pole* ahead of the escorted vehicle.

A pilot car must follow loads *longer than 105* feet on a 2 or 3 lane highway and loads *longer than 110* feet on all highways.

Loads with an *overhang greater than 25 feet in front* of the vehicle require one pilot car ahead of the vehicle.

Loads with an *overhang greater than 25 feet in back* of the vehicle require one pilot car behind the vehicle.

A Nevada Highway Patrol escort is required for loads

wider than 17 feet being transported on 2-lane highways, or loads wider than 19 feet being transported on 4-lane highways.

### Routes with Special Width and Length Restrictions

#### Width Restrictions

- a) *State Route 28* between U.S. 50 and the Nevada-California state line: Widths up to 10 feet are allowed with the appropriate single-trip permit. All loads exceeding 8'-6" require pilot cars ahead and behind. Loads wider than 10 feet are not allowed
- b) *U.S. 93* between Boulder Dam and the junction with the Boulder City business route north of Boulder City: Loads wider than 10 feet are not allowed. Most commercial traffic is prohibited from crossing Hoover Dam. For

details read "Traffic Restrictions on Hoover Dam" on page 51.

- c) *State Route 160* between the junction with State Route 159 (Blue Diamond Road) and the Clark-Nye county line: Loads wider than 8'-6" are not allowed.
- d) *State Route 207 (Kingsbury Grade)* between U.S. 50 and SR 206: Loads wider than 8'-6" are not allowed.
- e) State Route 208 (Wilson Canyon Road) between U.S. 395 and Yerington: Widths up to 12 feet are allowed with the appropriate single-trip permit. Loads exceeding 8'-6" up to 10 feet in width require a pilot car ahead. Loads wider than 10 feet require a pilot car ahead and behind. Loads wider than 12 feet are not allowed.

- f) State Route 225 (Owyhee Canyon Road) between Wild Horse Reservoir and the Idaho state line: Widths up to 12 feet are allowed with the appropriate single-trip permit. Loads wider than 8'-6" require pilot cars ahead and behind. Loads wider than 10 feet require two pilot cars ahead and one behind. Loads wider than 12 feet are not allowed.
- g) *State Route 229 (Secret Pass)* between I-80 and U.S. 93: Widths up to 12 feet are allowed with the appropriate single-trip permit. Loads wider than 8'-6" require pilot cars ahead and behind. Loads wider than 12 feet are not allowed.
- h) *State Route 341 (Geiger Grade)* between U.S. 395 and U.S. 50: Widths up to 10 feet are allowed with the appropriate single-trip permit. Loads wider than 8'6" require pilot cars ahead and behind. Loads wider than 10 feet are not allowed.
- i) *State Route 431 (Mt. Rose Highway)* between Timberline Drive (milepost WA 19.02) and SR 28: Widths up to 10 feet are allowed with the appropriate single-trip permit. Loads wider than 8'-6" require pilot cars ahead and behind. Loads wider than 10 feet are not allowed

NOTE! Special permission may be requested from the Department of Transportation for loads exceeding width restrictions set forth above. Special permission will be limited to loads that must be delivered to destinations on or near the restricted route that cannot be reached using any other highway. If special permission is granted for loads exceeding the above limitations, a single-trip permit and a lead pilot car and pilot cars ahead and behind the load will be required.

Construction work, emergencies, or other circumstances may necessitate additional restrictions on state highways.

### Length Restrictions

Operators with reducible-load permits for combinations greater than 70 feet in length may travel on all routes under the jurisdiction of the Nevada Department of Transportation *except* for the following routes:

- a) *State Route 28* between U.S. 50 at Spooner Summit and the California state line.
- b) *U.S. 93* between Hoover Dam and the junction with the Boulder City business route north of Boulder City.
- c) *State Route 208* between Yerington and the junction of U.S. 395.
- d) *State Route 226* between the junction of SR 225 and the north end of SR 226 at Deep Creek.
- e) State Route 431 (Mt. Rose Highway) between Timberline Drive (milepost WA 19.02) and State Route 28



### Spring-Thaw Route Restrictions

Roadways are vulnerable to severe damage in some areas of Nevada when warmer temperatures cause frozen roadway materials to thaw. Therefore, Nevada protects these routes by doubling fines for exceeding permitted axle weights. These restrictions are effective from February through April. Maps of these vulnerable routes are available from the Nevada Department of Transportation's Overdimensional Permit Section at (775) 888-7410, or from the NDOT website at: www.nevadadot.com/business/trucker/spring\_thaw/

Fines for violating weight limits on restricted routes are doubled during the February through April freezethaw period.



### Permit Example

### Non-Reducible Overweight, Annual Permit (NDOT)

Phone: (775) 888-7410	1263 South		arson City, Nevada		Permit Number 1391
	OVERDIMEN	SIONAL TRANSPORTA	TION REVOCABLE PERM	IIT	Page 1 of 1
1725	NUAL @ \$60 RN NEVADA TRI EAST COMMERC , NV 89512	ANSPORT		CHECK	
L	,				
Route: WITHIN T	HE STATE OF I	NEVADA			
Over Routes: GREEN & PURPLE			NDOT-DESIGNATE OT APPLICABLE		
Instructions: MUST BE NON-REI			ED 25' FRONT	AND/OR REAR*	*NOTE - LOAD
Travel: From 08/ Description of MISCELLANEOUS	Load:	HAUL			Might Holiday
MISCHARMSON	CONDINGE				
					Rear: <u>LEGAL</u>
Axle Spacing: 1 13'8"	2 4'6" 3 14'0"	4 4'6" 5 28'11"	6 4'6" 7 13'9"	8	
Wheels:		8 8			
Gauge:		10			
Wgt: 12,500	40,495	50,619	40,495 24	.000	
Pilot Cars Requ 12' WIDE (FLASE				E ROADS WHEN	LOAD EXCEEDS
	Aft:				
Transmitted By:	PICKUP				
D Unit:	NDOT-CARSON C		Requested By: City: CARSON	TODD	State: <u>NV</u>
Tractor:		9777			
Nevada Departme Jeff Fontaine,	ent of Transpor	rtation	Nevada, on this Approved E SIGNED TO BE	by Permit Age	
The undersigned	agrees to the	conditions an	d restrictions	of this permit	
Signed			Date		

### Permit Example

### Non-Reducible Oversize, Single-Trip Permit (NDOT)

Phone:	NEVADA DEPARTMENT C	F TRANSPORTATION	Permit Number
(775) 888-7410		Carson City, Nevada 89712	1059
	OVERDIMENSIONAL TRANSPOR	TATION REVOCABLE PERMIT	Page 1 of 1
Insurance: WESTERN	- 5 DAY @ \$25 GENE	RAL	BILLING
	ST COMMERCIAL ROW NV 89512		
Route: FROM PLE	ASANT VALLEY, NV - PAG	NI LANE	
	DNERVILLE, NV - LANGLE		
Over Routes: US	3 395, SR 88		
Instructions:			
Fravel: From 07/31 Description of Lo 750 ROTOMILL		Authorized: X Week	end X Night Holiday
Dimensions: Widt	:h: <u>10'0"</u> Height: <u>15'</u>	0" Length: 95'0"	
Axle	64,685 Total Axles: _4'6" 3 13'9" 4 4'6" 5 31'0		: LEGAL Rear: LEGAL
Gauge:			
	0,495 40,495	40,495 24,000	
Pilot Cars Requir	ed: Fore:		
	Aft:		
Transmitted By:	AGREEMENT		
N	75) 786-7114 STERN NEVADA TRANSPORT	Requested By: TODD City: RENO	State: <u>NV</u>
Trailer:			- 10 mg - 10 m
	Dated at Carson City,	Nevada, on this	08/05/2003
Nevada Department Jeff Fontaine, Di	of Transportation rector PERMIT MUST	Approved by Pe BE SIGNED TO BE VALID	rmit Agent No: 188
The undersigned as	grees to the conditions a	and restrictions of thi	s permit.
		Date	

### Permit Example

### Reducible Load, Annual (Multiple-Trip) Permit (DMV)

Compliance Enforcement Division		OR / AND SPECIAL	RETURN ALL COPIES
lotor Carrier Section	TRANSPORTATION	REVOCABLE PERMIT	PERMIT NUMBER
55 Wright Way Carson City, Nevada 89711-0600 775) 684-4711, Ext. 1		COMBINATION  Exceeding 70 feet in length	01077
	reby certify that he proposes to operate WITHIN THE STATE O	the combination of vehicles hereinafter de	escribed on State Highway Route(s) as
designated			16-16161
	rty damage insurance required by parage PRUDENTIAL INSURANC	graph 28 of the regulations is evidenced by E CO Company and expiring	oy policy No. 16-16161 OVEMBER 30 04
MAIL TO: (Print company name	and mailing address below)	PERMANENT ADDRESS:	(If different from mailing address)
BE-BOP	VILLAGE TRUCKING	FEIN/SSN 88-603	0111
	DLES ST	BE-BOP TRUCKI	NG
	GAS NV 89511	PO BOX 2000 LAS VEGAS NV	00511
Phone No	5-1212	LAS VEGAS NV	09311
CHECK THE REQUESTE		□ OTHER	Gross weight requested
All Distances Shall Be Measured	to the Nearest Foot		First to last axle spanfeet
	П.,		
No. 1 7 axles 2S-1 2		lo. 2 7 axles 2S-2 3	No. 3 7 axles
25-1	The Marie	3.2	35-2
Gross weight requested	Gross weig	tht requested	ross weight requested
First to last axle span	feet First to last		rst to last axle span fee
□ No. 4 7 axles	□ No.5 8a		No. 6 8 axles
3 2	2 4 38-1	2 2	3S-2 3
0 00 0 00	20-1	00 00 0	0-000 0000000
Gross weight requested	Gross weight reques	ited(	ross weight requested 123,50
First to last axle span	feet First to last axle spa	nfeet F	irst to last axle span 101 fee
No. 7 8 axles	No. 8 9 axles	□ No. 9	9 axles
2S-2 4	3S-2	4 38-2	2 2
0.00.00.0	0 0 00 00	00 00	000 00 0
Gross weight requested	Gross weight requested	Gross weight rec	
	feet First to last axle span	feet First to last axle	spanfee
First to last axle spanf		or seek a seek militage intoless	
First to last axle spanf	OR PROCEDURE IN DETERMIN	ING GROSS WEIGHT SEE THE BA	ACK)
First to last axle span	h such proposed operation of combination	on of vehicles that (1) the combination of v	vehicles is a combination permitted by
First to last axle span	h such proposed operation of combinatio	on of vehicles that (1) the combination of the minimum mechanical and safety equir	wehicles is a combination permitted by
First to last axle span	h such proposed operation of combinatio	on of vehicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of vehicles	wehicles is a combination permitted by
First to last axle span	h such proposed operation of combination conent vehicle thereof is equipped with a parament is in operable condition; and	on of vehicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of vehicles	wehicles is a combination permitted by
First to last axle span	h such proposed operation of combination conent vehicle thereof is equipped with a parament is in operable condition; and	on of vehicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of vehicles	wehicles is a combination permitted by
First to last axle span	h such proposed operation of combination on the combination of com	on of vehicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of vehicles the regulations.  Ms. Bl Bb Signature	vehicles is a combination permitted by ment specified by the regulations; (3) hicles will be operated by a qualified the mental of the mental
First to last axle span	h such proposed operation of combination on the combination of com	on of sphicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve h regulations.  Ms. Signature  OT WRITE BELOW THIS LIN	wehicles is a combination permitted by the regulations; (3) the regulations; (4) the regulations; (3) thicles will be operated by a qualified purpose of the regulations of the regulati
First to last axle span.  (F  I certify that in connection with the regulations; (2) that each comp that said mechanical and safety ex- person or persons possessing the r  Motor Carrier No.  99999	h such proposed operation of combination one of which there is a quipped with updated the properties of the properties of the combination and minimum qualifications set forth in such that the properties of the	on of sphicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve heraltons.  MS. Signature  OT WRITE BELOW THIS LINTO BE FILLED IN BY DEF	wehicles is a combination permitted by oment specified by the regulations; (3) thicles will be operated by a qualified by Tide Tide Tide Tide Tide Tide Tide Tide
First to last axle span	h such proposed operation of combination on the combination of com	on of sphicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve h regulations.  Ms. Signature  OT WRITE BELOW THIS LIN	vehicles is a combination permitted by ment specified by the regulations; (3) thickes will be operated by a qualified the property of the prop
First to last axle span.  (F  I certify that in connection with the regulations; (2) that each comp that said mechanical and safety or person or persons possessing the r  Motor Carrier No. 999999  Max. gross weight permitted.	h such proposed operation of combination on the such proposed operation of combination on the superation of combination of combination of the superation of the such proposed operation of the such proposed operation of the superation of the such proposed operation operatio	on of yehicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve to regulations.  MS Signature  OT WRITE BELOW THIS LIN  TO BE FILLED IN BY DEF  Gross weight permitted. 1237.5  Process fee if weight does no	vehicles is a combination permitted by ment specified by the regulations; (3) thicles will be operated by a qualified the property of the prop
First to last axle span.  (F  I certify that in connection with the regulations; (2) that each compthat said mechanical and safety equesion or persons possessing the r  Motor Carrier No. 99999	h such proposed operation of combination open vehicle thereof is equipped with updated the properties conditions, and minimum qualifications set forth in such as the properties of the properti	on of yehicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve to regulations.  MS Signature  OT WRITE BELOW THIS LIN  TO BE FILLED IN BY DEF  Gross weight permitted. 1237.5  Process fee if weight does no	wehicles is a combination permitted by oment specified by the regulations; (3) inches will be operated by a qualified by the Tide will be operated by a qualified by Tide will be operated by a qualified by Tide will be operated by Tide will be ope
First to last axle span.  (F  I certify that in connection with the regulations; (2) that each comp that said mechanical and safety or person or persons possessing the r  Motor Carrier No. 999999  Max. gross weight permitted.	h such proposed operation of combination on the such proposed operation of combination on the superation of combination of combination of the superation of the such proposed operation of the such proposed operation of the superation of the such proposed operation operatio	on of sphicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve the regulations.  MS Signature  OT WRITE BELOW THIS LIN  TO BE FILLED IN BY DEF Gross weight permitted. 123,7.5  Process fee if weight does not weight in excess of 80,000 lbs.	wehicles is a combination permitted by oment specified by the regulations; (3) whicles will be operated by a qualified permitted by a qualified pe
First to last axle span.  (F  I certify that in connection with the regulations; (2) that each comp that said mechanical and safety or person or persons possessing the r  Motor Carrier No. 999999  Max. gross weight permitted.	h such proposed operation of combination open vehicle thereof is equipped with updated the properties conditions, and minimum qualifications set forth in such as the properties of the properti	on of sphicles that (1) the combination of the minimum mechanical and safety equip (4) that the described combination of ve here to regulations.  MS Signature  OT WRITE BELOW THIS LIN  TO BE FILLED IN BY DEF Gross weight permitted. 123,7.2  Process fee if weight does no	wehicles is a combination permitted by oment specified by the regulations; (3) whicles will be operated by a qualified permitted by a qualified pe

#### **Hazardous-Materials Permits**

The Nevada Highway Patrol administers Nevada's hazardous-materials permit program. Hazardous materials in transportation are defined in Title 49, Part 172 of the Code of Federal Regulations (see http://www.gpo.gov/nara/cfr/index.html). Placarding of hazardous materials is also covered under these regulations. Call the NHP at (775) 684-4622 for more information.

### Single-Trip Hazardous-Materials Permit

Nevada has a 72-hour hazardous-materials single-trip permit. Only one permit per 90 days per company is allowed. The Nevada Highway Patrol has contracted with Comdata, a company that offers various services to the trucking industry, to sell these special permits. They cost \$125, plus a Comdata fee. Call Comdata at 800-749-6058 to obtain the permit. The company can be contacted 24 hours a day.

# Annual Hazardous-Materials Permit, under the Uniform Program

Nevada is one of seven states participating in the Uniform State Hazardous Materials Registration and Permitting Program. The other member states are Illinois, Michigan, Minnesota, Ohio, Oklahoma and West Virginia. Under this program, these states use uniform procedures and application forms for registration and permitting of hazardous- materials transportation.

Carriers need to contact their base state to register and apply for the annual credential. After a carrier has registered and paid its fees, the base state will issue a credential that will be honored by each member state in the program. If a carrier's base state is not in the program, the carrier must register in the member state where it records the largest percent of its total miles traveled. That state then becomes the carrier's designated base state for the program.

The uniform registration and permitting application shall be completed by all motor carriers who:

- 1. Operate in any of the states that participate in the program, and
- 2. Transport materials of a type and amount that requires the vehicle (truck or trailer) to be placarded, including:
  - hazardous waste subject to the Uniform Hazardous Waste Manifest,
  - b. hazardous substances or marine pollutants transported in bulk packaging, or
  - c. low-level radioactive waste.

Annual hazardous-materials permits under this program vary in cost.

#### PARTICIPATING STATES

STATE ADMINISTERING AGENCY UNIFORM PROGRAM
LEVEL

Illinois Illinois Environmental Part II for

Protection Agency Hazardous Waste

Division of Land Pollution Control

1021 North Grand Avenue East

Springfield, IL 62702 Phone: (217) 785-8604 FAX: (217) 782-9290

Michigan Michigan Department of

Environmental Quality Waste P.O. Box 30657

Lansing, MI 48909 Phone: (734) 432-1256 FAX: (734) 432-1277 Part II for Hazardous

Minnesota Minnesota Department

of Transportation

Administrative Truck Center

1110 Centre Point Curve Mendota Heights, MN 55118

Phone: (651) 405-6060 Fax: (651) 405-6100

Part II for Hazardous

Materials

Part III for Hazardous

Waste

Nevada Highway Patrol Nevada

> Permit Section 555 Wright Way

Carson City, NV 89711-0525 Radioactive Waste

Phone: (775) 684-4622 FAX: (775) 684-4649

Part II for Hazardous

Material/Waste Part III for

Ohio Public Utilities Commission

of Ohio

Fiscal Division

180 East Broad Street

Fax: (614) 728-9292

Columbus, Ohio 43215-3793 Phone: (614) 466-3392

Part II for

Hazardous Material Part III for Hazardous

Waste

Oklahoma Oklahoma Corporation

Commission

Transportation Division

PO Box 52000

2101 North Lincoln Blvd

Oklahoma City, OK 73152-2000

Phone: (405) 522-5287 (405) 521-2916 FAX:

Part II for Hazardous Waste

Public Service Commission West

Virginia of West Virginia

Motor Carrier Section 201 Brooks Street PO Box 812 Charleston, WV 25323

Phone: (304) 340-0456 FAX: (304) 340-0394

Part II for All Materials/Waste

# **Flashing Amber-Light Permits**

Operators of flashing amber lights are required to obtain a permit to use these lights while driving in Nevada. Permits can be obtained for individual vehicles. For large fleets, blanket permits are available. Permits are valid from July 1 of one year through June 30 of the following year.

To apply for an amber-light permit, contact the following:

Nevada Highway Patrol Permit Section 555 Wright Way Carson City, NV 89711 Phone: (775) 684-4622

Fax: (775) 684-4649



# CHAPTER II: NEVADA MOTOR CARRIER SAFETY PROGRAM

#### **Commercial Motor Vehicle Definition**

Commercial motor vehicles are subject to state and federal safety regulations. A *commercial motor vehicle* means a vehicle used to transport passengers or property, and meets one or more of the following conditions:

- If used in *inter*state commerce:
  - The vehicle or combination has a gross weight of more than 10,000 pounds.
  - The vehicle is designed or used to carry 9 or more passengers (including the driver) for compensation.
  - The vehicle transports hazardous materials required to be placarded.
- If used only in *intra*state commerce:
  - The vehicle or combination has a declared gross weight of more than 26,000 pounds.
  - The vehicle transports hazardous materials required to be placarded.
  - The vehicle is designed or used to carry 16 or more passengers (including the driver), whether or not compensation is provided.

*Note:* If unsure whether *intra*state or *inter*state, call the Federal Motor Carrier Safety Administration at (775) 687-5335.

#### Goal

The overall goal of the Nevada Motor Carrier Safety Program is a reduction in Commercial Motor Vehicle traffic accidents and related fatalities, injuries, and property damage. This includes incidents and accidents associated with the highway transportation of hazardous materials.

# Nevada Highway Patrol (NHP)

Nevada's lead agency for commercial motor vehicle safety is the NHP. The NHP has three regions: Reno, Elko

and Las Vegas. The headquarters office is in Carson City. Phone numbers are listed below.

Reno	(775) 688-2500
Elko	(775) 753-1111
Las Vegas	(702) 486-4100
Headquarters	(775) 687-5300
(Carson City)	, ,

# **Commercial Vehicle Inspections**

Vehicles may be selected for roadside inspection based on observance of their safety condition or by a computerized system that utilizes Inspection Selection System (ISS) software. NHP personnel typically check vehicles and their drivers for compliance with federal and state motor-carrier safety regulations. They also check shipping papers, hazardous materials, and other cargoes as appropriate. (See Chapter IV: Operating Credentials, for information on dyed-fuel enforcement and emission control.)

In addition, Nevada conducts commercial inspections on drivers and vehicles in conjunction with Federal Motor Carrier Safety Regulations and the Commercial Vehicle Safety Alliance (CVSA) out-of-service criteria. The NHP may place a CVSA decal on units of a vehicle that pass the safety equipment inspection without serious defect, and may waive the inspection of vehicles displaying current inspection decals issued by other CVSA member jurisdictions (See www.cvsa.org).

An out-of-service sticker may be affixed to vehicle units placed out of service if major defects are detected. A Nevada Driver-Vehicle Inspection Report will be completed for each driver and vehicle inspection. A copy of the report will be provided to the driver after each inspection.

The NHP is trained to perform North American Standard Level I through Level VI inspections. Below is a description of these inspection levels and what you might expect during an inspection.

Level I (North American Standard Inspection)
An inspection that includes examination of

driver's license, medical examiner's certificate and waiver (if applicable), alcohol and drugs, hours of service, vehicle mechanisms and parts, vehicle inspection report, annual vehicle inspection, coupling devices, lamps on projecting loads, safe loading, van and open-top trailer bodies, emergency exits on buses and hazardous-materials requirements, as applicable.

- Level II (Walk-Around Driver/Vehicle Inspection)
  An examination that includes all of the items specified under the Level I inspection that can be inspected without physically getting under the vehicle.
- Level III (Driver-Only Inspection)
  A roadside examination of the driver's license, medical certification and waiver (if applicable), hours of service, seat belt, vehicle inspection report, and hazardous-materials requirements, as applicable.
- Level IV (Special Inspections)
  Inspections under this heading typically include
  a one-time examination of a particular item. These
  examinations are normally made in support of a
  study or to verify or refute a suspected trend.
- Level V (Vehicle-Only Inspections)
  An inspection that includes each of the vehicle inspection items specified under the Level I inspection, without a driver present, usually conducted at the motor carrier terminal.
- Level VI (Radioactive-Load Inspection)

  An example for radioactive shipments that includes the items specified under the level I inspection, with more strict requirements for corrective strategies.

Be advised that most safety stops will include a verification of registration and insurance documents.

# **Federal Motor Carrier Safety Administration** (FMCSA)

The Federal Motor Carrier Safety Administration's primary mission is to prevent commercial motor vehicle related fatalities and injuries. Administration activities contribute to ensuring safety in motor carrier operations through strong enforcement of safety regulations, targeting high-risk carriers and commercial drivers, and increasing safety awareness.

# Security and Safety Sensitivity Program

The tragic events of Sept. 11, 2001, require the trucking community to increase efforts to ensure the safe, secure, and efficient movement of people and goods across the United States. A major concern is that terrorists could use hazardous materials in the transportation system as a weapon.

In response, the FMCSA has initiated the Security and Safety Sensitivity Program. Its purpose is to heighten the awareness level of all in the trucking community to be alert for any suspicious behaviors that could threaten the security and safety of truckers and every individual in our country. To report any questionable activity, immediately call 3-1-1 or 9-1-1

# Contacting the FMCSA

Division offices can provide assistance with questions regarding federal motor-carrier safety regulations, hazardous-materials regulations and registration, and household goods consumer information. Nevada's division office:

705 North Plaza Street, Suite 220 Carson City, Nevada 89701 (775) 687-5335 (775) 687-3803 fax

Hotline: The FMCSA provides a toll-free hotline for reporting dangerous safety violations involving a commercial truck or bus: 1-888-DOT-SAFT (1-888-368-7238) for more information, check the FMCSA web page at <a href="https://www.fmcsa.dot.gov">www.fmcsa.dot.gov</a>.

#### Weather Conditions

Weather conditions in Nevada are unpredictable and subject to change without warning, especially when crossing mountain summits. Although not required, it is advisable to be prepared for the worst and carry chains at all times, especially during winter months.

NDOT uses a sophisticated road-weather information system to accurately report the latest conditions of Nevada highways. You can access this information by calling 1-877-NVROADS (1-877-687-6237) or logging onto www.nevadadot.com/traveler/rwis.



# **New Hours-of-Service Rules**

Old Hours-of-Service Rules All CMV Drivers	New Hours-of-Service Rules Property-Carrying CMV Drivers
CMV driver may drive 10 hours after 8 hours off-duty.	CMV driver may drive 11 hours after 10 hours off-duty.
CMV driver may not drive after 15 hours on-duty, following 8 hours off-duty.	CMV driver may not drive beyond the 14th hour after coming on-duty, following 10 hours off-duty.
CMV driver may not drive after 60/70 hours on-duty in 7/8 consecutive days.	CMV driver may not drive after 60/70 hours on duty in 7/8 consecutive days.  A driver may restart a 7/8 consecutive day period after taking 34 or more consecutive hours off-duty.
Compliance Required Through January 3, 2004	Compliance Required On & After January 4, 2004



# CHAPTER III: COMMERCIAL DRIVER'S LICENSE


You must acquire a commercial driver's license (CDL) from the Department of Motor Vehicles to drive a commercial vehicle. Nevada and all states have the same minimum licensing standards. Only those drivers with professional knowledge, skills and abilities will be licensed.

# **CDL Classifications, Endorsements, Restrictions, and Exemptions**

Three classes of commercial driver licenses are available. These licenses come with specific endorsements and restrictions. Also, some vehicles are exempt from CDL requirements.

# **Classifications**

Class "A" Any combination of motor vehicles with a gross combination weight rating (GCWR) of 26,001 pounds or more, provided the vehicle being towed has a gross vehicle weight rating (GVWR) exceeding 10,000 pounds.




Class "B" Any single vehicle with a GVWR of 26,001 or more pounds, or any such vehicle towing a vehicle not exceeding 10,000 pounds.



#### Class "C"

Any single vehicle, or combination of vehicles that does not meet the definition of Class A or Class B, but that either is designed to transport 16 or more passengers (including the driver) or is placarded for hazardous materials.



*NOTE:* A CDL of any class allows you to drive your personal vehicle. You won't need any other license!

#### **Endorsements**

You may need the following CDL endorsements:

- Double/Triple Trailers
- Passengers
- Tankers
- · Hazardous Materials
- · Hazardous Materials and Tankers

#### Restrictions

The following CDL restrictions may apply:

- May not operate a vehicle equipped with air brakes
- Towing forklift only
- Transport passengers only in Class B or C vehicle or only in Class C vehicle
- Tow-truck only
- Automatic transmission only
- Intrastate only

# **Exemptions**

You do not need a CDL to operate some vehicles that may fall within the GVWR descriptions. The following are exempt from Nevada CDL requirements:

- Recreational-vehicle drivers using their RV's for noncommercial purposes
- Personnel driving vehicles for military purposes
- Firefighters operating emergency equipment
- Farmers transporting equipment, supplies, or products to or from a farm as long as the vehicle is:
  - Controlled and operated by a farmer, his or her family members or employees.
  - Used within 150 miles of the farm.
  - Not being used as a common or contract motor carrier.
  - Not transporting placarded amounts of hazardous material.

# **CDL Qualifications**

As part of the CDL program you need to meet certain qualifications regarding age, physical condition, and driving record.

# Legal Age Requirements

You must be at least 21 years of age to obtain a CDL to operate a commercial motor vehicle in interstate commerce, and 25 years of age or older to drive an overlength combination vehicle (greater than 70 feet). Applicants between 18 to 20 years of age may be granted a CDL to operate a commercial motor vehicle in intrastate commerce. However, 18-to-20-year-olds will not be granted the privilege to transport passengers for hire or transport hazardous materials requiring placards.

*NOTE:* Like anyone applying for a Nevada driver's license, you will be asked to provide proof of your identity, your age, and your Social Security number. You will also be given a vision test. Please refer to the Nevada Driver's Handbook or your local DMV office for more information.

# Medical Examination Requirements

You must be physically examined by a U.S. licensed physician every two years. The doctor will give you a

#### <u>2004 NEVADA COMMERCIAL VEHICLE HANDBOOK</u>

medical report that must be on a form approved by the DMV. The medical form has to be submitted with your CDL application. Your doctor will also fill out and sign a medical certificate for you to carry with your CDL. You can be cited by law enforcement if you drive commercially with an outdated medical certificate, or if you do not have a current one with you. Your medical form must be filed with the DMV every two years.

# **Driving Record Requirements**

When you apply for your CDL you will be asked to:

- Certify that you do not have a driver license from more than one state.
- Certify that your driver's license is not currently suspended, revoked or canceled in any state, nor subject to any of these actions.
- Surrender your current driver's license.
- Provide proof of your Social Security number.

Before issuing your license, CDL staff will run a nationwide driving-record check.

#### **CDL** Renewal

If you are renewing your commercial license you will need to:

- Provide evidence of a current physical examination (long form) dated within the previous two years.
- Pass the Nevada general knowledge test and any other tests required if you have been convicted of two or more moving violations in a commercial motor vehicle, or three or more moving violations in a non-commercial motor carrier within the previous four years. Skills testing may also be required as a result of moving violations.
- If you have a hazardous materials endorsement you must also pass the hazardous materials knowledge test if you wish to keep the endorsement on your CDL.
- Pay the renewal fee of \$56.25 for the knowledge test and \$86.25 if the driving skills test is required.

#### **CDL Instruction Permit**

A Nevada commercial instruction permit is issued for a one-year period. It is issued for the purpose of behind-the-wheel training on public roads or highways. Applicants for an *inter*state commercial instruction permit must be at least 21 years of age, and pass the vision and written examinations. Applicants between 18 and 20 years of age may be granted a CDL instruction permit to operate a commercial motor vehicle in intrastate commerce. However, this age group will not be allowed to transport hazardous materials requiring placards or passengers for hire.

The holder of an instruction permit must have a medical examiner's certificate in possession dated within two years, and must be accompanied at all times by a driver who is:

- At least 25 years of age
- Seated next to the driver
- Licensed for the same commercial classification as the permit holder, and who has had the license for at least one year.

#### **CDL** Transfer

If you have a valid CDL from another state and want to transfer your license to Nevada, you need to do the following:

- Complete a Nevada CDL application within 30 days of becoming a resident.
- Provide a copy of your medical examination.
- Certify you have only one license and that your license is not currently revoked, suspended or canceled in any state, nor subject to any of these actions.
- Provide proof of Social Security number.

*NOTE:* Hazardous-materials endorsements may have to be recertified. Check with the CDL examiner.

# **CDL Upgrades**

If you have to change the class or endorsements on your CDL, you need to do the following:

- Complete the new CDL application.
- Pass the knowledge and skills tests that apply.

#### **CDL** Fees

The following fees will be charged for CDL testing and licensing:

<ul> <li>Original or transfer that requires knowledge and skills tests</li> </ul>	\$86.25
<ul> <li>Original or transfer that requires knowledge tests only</li> </ul>	\$56.25
Duplicate	\$21.25
<ul> <li>Change of information (other than address)</li> </ul>	\$11.25
Added endorsement	\$16.25
Renewal that requires knowledge tests only	\$56.25
<ul> <li>Renewal that requires knowledge and skills test</li> </ul>	\$86.25
• Re-instatement (depending on offense) \$56.25 or	\$86.25
Instruction Permit	\$56.25
<ul> <li>Drive test (to add or remove a restriction or endorsement)</li> </ul>	\$32.25
• Victim's Fee (if convicted of driving under the influence)	\$35.00

*NOTE:* An additional charge of \$3.00 for written tests and \$25.00 for drive tests will be added if repeated more than twice

# **Driving Under the Influence (DUI) Laws**

Drinking alcohol or using controlled substances when you are driving a commercial vehicle is against the law (See NRS 484.379). Penalties include:

- For any detectable blood alcohol concentration less than 0.04, you will be put out of service for 24 hours.
- For a BAC of 0.04 or more, you will lose your CDL for one year for a first offense; if hauling hazardous materials you will lose it for three years. You will lose your CDL for life for a second offense.

#### **Office Locations**

For CDL application and testing please contact the Field Services Division of the Department of Motor Vehicles at the following locations:

# Applications and Knowledge (Written) and Skills Tests

4110 Donovan Way North Las Vegas, Nevada 89030 (702) 486-5655 3505 Construction Way Winnemucca, Nevada 89445 (775) 623-6515

P.O. Box 1912 400 Howerton Hill Tonopah, Nevada 89049 (775) 482-6329 810 East Greg Street Sparks, Nevada 89431 (775) 688-2535

3290 East Idaho Street Elko, Nevada 89801 (775) 753-1166 555 Wright Way Carson City, Nevada 89711 (775) 684-4861

178 North Avenue F Ely, Nevada 89301 (775) 289-1605

# Applications and Knowledge (Written) Tests

973 West Williams Street Fallon, Nevada 89406 (775) 423-4316 215 West Bridge Street Yerington, Nevada 89447 (775) 463-3146

1694 County Road Minden, Nevada 89423 (775) 782-0200



#### **Commercial Driver's License Tests**

#### Knowledge (Written) Tests

You will have to take one or more knowledge tests depending on what class of license and what endorsements you need. The CDL knowledge tests include:

- The general knowledge test, taken by all applicants.
- The passenger transport test, taken by all bus driver applicants.
- The air brakes test, which you must take if your vehicle has air brakes.
- The combination-vehicles test, which is required if you want to drive combination vehicles.
- The hazardous-materials test, which is required if you want to haul hazardous materials or waste in amounts which require placarding.
- The tanker test, which is required if you want to haul liquids in bulk.
- The doubles/triples test, which is required if you want to pull double or triple trailers.

#### Skills Tests

If you pass the required knowledge test(s), you can take the CDL skills tests. There are three types of general skills that will be tested: pre-trip inspection, basic vehicle control, and on-road driving. You must take these tests in the type of vehicle for which you wish to be licensed.

#### *Pre-trip Vehicle Inspection:*

You will be tested to see if you know whether your vehicle is safe to drive. You may be asked to do a pre-trip inspection on your vehicle and explain to the examiner what you would inspect and why.

#### Basic Vehicle Control:

You will be tested on your skill to control the vehicle. You will be asked to move your vehicle forward, backward, and turn it within a defined area. These areas may be marked with traffic lanes, cones, barriers or something similar. The examiner will tell you how each control test is to be done.

#### On-road Test:

You will be tested on your skill to safely drive your vehicle in a variety of traffic situations. The situations may include left and right turns, intersections, railway crossings, curves, up and down grades, single or multi-lane roads, streets, or highways. The examiner will tell you where to drive.

#### **Other CDL Rules**

There are other federal and state rules that affect drivers operating commercial motor vehicles in all states.

- You cannot have more than one license. If you break this rule, a court may fine you up to \$5,000 or put you in jail. Keep your home state license and return any others.
- You must notify your employer within 30 days of conviction for any traffic violations (except parking). This is true no matter what type of vehicle you were driving.
- You must notify your employer if your license is suspended, revoked, or canceled, or if you are disqualified from driving.
- You must give your employer information on all driving jobs you have held for the past 10 years. You must do this when you apply for a commercial driving job.
- No one can drive a commercial vehicle without a CDL. A court may fine you up to \$5,000 or put you in jail for breaking this rule.

- Your employer may not let you drive a commercial motor vehicle if you have more than one license or if your CDL is suspended or revoked. A court may fine the employer up to \$5,000 or put him or her in jail for breaking this rule.
- All states are connected to one computerized system to share information about CDL drivers. The states will check on drivers' accident records and be sure that drivers don't get more than one CDL.
- You will lose your CDL for at least one year for a first offense:
  - If you leave the scene of an accident involving a commercial motor vehicle you were driving.
  - For operating a commercial motor vehicle under the influence of a controlled substance.
  - If you use a commercial motor vehicle to commit a felony.
- If the offense occurs while you are operating a commercial motor vehicle that is placarded for hazardous materials, you will lose your CDL for at least three years. You will lose your CDL for life for a second offense. You will also lose your CDL for life if you use a commercial motor vehicle to commit a felony involving controlled substances.
- As of October 2002, Nevada has instituted new regulations concerning railroad/highway crossings. Any violation of these new regulations will disqualify you as a Commercial Vehicle Operator. These violations include the following:
  - Failure to follow posted crossing restrictions.
  - Failure to obey a traffic-control device or enforcement official.
  - Not slowing to check that tracks are clear even if you are not required to stop at crossings.
  - Failure to stop before reaching a crossing if tracks are not clear.
  - For drivers required to stop at all crossings, not stopping as required.
  - Stopping where vehicle will obstruct railroad tracks.

LICENSE

#### 2004 NEVADA COMMERCIAL VEHICLE HANDBOOK

- Failure to cross a railway intersection because of insufficient undercarriage clearance.

One violation will disqualify you as a Commercial Vehicle Operator for at least 60 days. A second violation in three years will disqualify you for 120 days, and a third violation in any three year period will disqualify you for a year.

# Serious Traffic Violations

You will lose your CDL:

- For at least 60 days if you have committed two serious traffic violations within a three-year period involving a CMV.
- For at least 120 days for three serious traffic violations within a three-year period.

Serious traffic violations are excessive speeding (15 mph or more above the posted limit), reckless driving, improper or erratic lane changes, following a vehicle too closely, and traffic offenses committed in a commercial motor vehicle in connection with fatal traffic accidents.

# **Disqualifications**


It is illegal to operate a commercial motor vehicle if your Blood Alcohol Concentration (BAC) is 0.04% or more. You will lose your CDL for one year for your first offense. You will lose it for life for your second offense. If your blood alcohol concentration is less than 0.04% but you have any detectable amount, you will be put out-of-service for 24 hours.

# **Implied Consent**

If you operate a commercial motor vehicle you cannot refuse alcohol or drug testing for the above-mentioned violations.

Following these rules will ensure highway safety for you and for all highway users. More information is contained

in the Commercial Driver's License Handbook which is available at all DMV Field Services Division offices, and on the internet at: www.dmvnv.com/pdfforms/dlbookcomm.pdf.



# CHAPTER IV: OPERATING CREDENTIALS

Operating credentials can be divided into three categories:

- 1) Credentials Required at All Times
- 2) Additional Credentials Required at Registration
- 3) Special Credentials That May Be Required

# **Credentials Required at All Times**

- Commercial Driver's License (CDL) (See Chapter III: Commercial Driver's License.)
- Vehicle Registration (Cab Card)
- Proof of Vehicle Insurance
- Special-Fuel Tax License (IFTA or Nevada-only)
- *Inter*state Operating Authority
  - U.S. Department of Transportation Identification Number
  - Motor Carrier Number (old ICC number)

#### Vehicle Registration (Cab Card)

All vehicles traveling in Nevada must be registered each year. However, truckers who plan little travel in Nevada may choose to obtain a trip permit instead of annual registration. (See Temporary Trip Permits in Chapter 1.)

Nevada's registration fee is based on declared gross vehicle weight (DGVW). Because there are fines for traveling overweight, truckers should declare the

04		NEVADA IF	COMP	PRATION A	MENT DIVISION SECTION L. NO BROTH-OR		AB CA		0004
-	HENCLE DESCRIPTION	CHOICH ME REDUTE	OFOTOWAY N	MINISTER CHARGE	NUMBER OF NO	MEX.HOLD	HER AMOUNT	THOSE DHOM	NOON .
NEVADA	AZ 000000 I		11 14 14 14 14 14 14 14 14 14 14 14 14 1	11 11111	12 2424		144444 144444 144444 144444 144444	** 111 ** 111 ** 111 ** 111	150 150 150 150 150 150 150
APPLICATION INSTRUCTIONS NOTE: SO NOT MODERN DROW.						44 44	*****		
NOTE 30 NOT MOST IN DECK.	1	O3 PRIE	DR 11111	111111111	TABLY		100		00000
*Throughly clear upper right hand conser of biomas pain. Remove son, for and other benign rights.	050 060			12/31/04		1200			
Nation deal from paper backing by banding one rides frager (broaf sole up, and posting of economic.	TEST NV FIL								
Position decay directly on the classical portion of license plate.	TEST								
Firming rule checal and ediges down with thumb.	TEST		NV 50	990					
	-			O MART DE PETU					

maximum weight at which they expect to operate when registering.

#### REGISTRATION FEE TABLE

Truck or tractor	(DGVW):
------------------	---------

10,001 to 26,000 lbs. \$12.00 for each 1,000 lbs. \$26,001 to 80,000 lbs. \$17.00 for each 1,000 lbs.

Trailers (empty weight):

0 to 1,000 lbs. \$12.00 1,000 lbs. or more \$24.00

# Prorate (Apportioned) Registration

Interstate truckers pay Nevada's registration fee based on miles traveled in Nevada. The percentage of miles traveled in Nevada during the year is multiplied by Nevada's registration fee. This is called prorate, or apportioned, registration.

You can apportion your travel in Nevada or other states through the International Registration Plan (IRP). Your fees are charged according to the mileage percentage traveled in each state and the fee structure in those states. If you are apportioning travel in other states, we recommend that you contact each state to verify their requirements.

Nevada registers on a calendar-year basis. Fees are reduced for *inter*state truckers who register after January. We reduce the fees by one-twelfth for each month that has passed.

#### Governmental Services Tax (Formerly Privilege Tax)

The Governmental Services Tax - 1.4 percent of each vehicle's depreciated value - must be paid at the time of registration. As with registration fees, this tax is apportioned based on the percent of miles traveled in Nevada.

# **Proof of Vehicle Insurance**

#### General Liability Insurance

An operator must have a copy of the Nevada Evidence of Motor Vehicle Liability Insurance card issued by an insurance company authorized to do business in Nevada. The card must show the Vehicle Identification Number (VIN) or the words "Fleet Insured," and the registrant's name.

#### Cargo Insurance

Each motor carrier who is hauling cargo for hire shall maintain insurance to compensate for loss of, or damage to, property for the minimum amount of \$5,000. For more details please contact the Transportation Services Authority at (702) 486-3303 or (775) 688-2823.

# Special-Fuel Tax License

A Special-Fuel User's License is required for operators of vehicles with a gross vehicle weight exceeding 26,000 pounds. An IFTA license and IFTA decals are required for *inter*state vehicles; *intra*state vehicles need a Nevada license but no decals.

#### The following are exempt:

- Operators who make occasional trips into Nevada for service, repair, and nonprofit or charitable purposes.
- Operators of house coaches and unladen vehicles purchased within Nevada for transport out of the state.

For more details about, or applications for, special-fuel user's licenses, contact the Motor Carrier Section of the Compliance Enforcement Division at (775) 684-4711 Ext. 1, the DMV website at www.dmvnv.com, or visit one of the DMV offices listed on page 2.

#### International Fuel Tax Agreement (IFTA)

IFTA is an agreement among states to simplify the reporting of fuel taxes by *inter*state motor carriers. A carrier only needs to open an IFTA fuel tax account with its base state, and the account is good in all states. Also, the carrier enrolls vehicles as a fleet, instead of enrolling individual vehicles.

IFTA covers operations of *inter*state commercial vehicles and combinations which:

- Have two axles and a registered gross vehicle weight more than 26,000 pounds.
- Have three or more axles regardless of weight.
- Are used in combination when the weight of the combination exceeds 26,000 lbs.

#### Licensing Under Nevada IFTA

You may license your vehicles through Nevada if:

- You are a Nevada-based *inter*state motor carrier.
- You keep operational control and records for your vehicles in Nevada or can make your records available.
- You operate IFTA-qualified motor vehicles. These do not include recreational vehicles.

When a carrier's application with IFTA has been

approved, the base state assigns the fleet an account number and issues the carrier an IFTA license. A copy of the license is to be carried in the cab of each vehicle in the fleet and serves as the IFTA cab card. The base state also issues an external fuel decal. The IFTA decal is reissued annually. Each vehicle is required to display one IFTA decal on each side of the power unit.



For more details about or applications for an IFTA license, contact the Motor Carrier Section of the Compliance Enforcement Division at (775) 684-4711 ext. 2, the DMV web site at www.dmvnv.com/mchome.html, or visit one of the DMV offices listed on page 2.

# **Interstate Operating Authority**

U.S. DOT Number

*Inter*state commercial motor vehicles are required to have a U.S. Department of Transportation identification number. The number gives the motor carrier the authority to operate in *inter*state commerce.

The carrier applies for the number through the Federal Motor Carrier Safety Administration (FMCSA). The number is for more than just identification. The information entered on the application is used to track safety performance, to assess nationwide safety trends, and to evaluate effectiveness of federal motor-carrier programs.

# Motor Carrier Number (old I.C.C. number)

With the closing of the Interstate Commerce Commission (ICC) in January 1996, the licensing and insurance responsibilities were transferred to the Federal Motor Carrier Safety Administration. Only for-hire motor carriers who wish to operate in interstate commerce are required to have a motor-carrier number along with the U.S. DOT number.

#### Contacts

The Federal Motor Carrier Safety Administration (FMCSA) division office in Nevada can provide assistance with applications for required U.S. DOT and motor carrier numbers. Contact the FMCSA at:

Federal Motor Carrier Administration 705 North Plaza St., Suite 220 Carson City, Nevada 89701 (775) 687-5335 (775) 687-3803 fax www.fmcsa.dot.gov For further information or for the status of your application or authority, please contact the FMCSA office at (202) 358-7028 or 7029. You may also visit additional web pages at http://fhwa-li.volpe.dot.gov.

# **Additional Credentials Required at Registration**

- Proof of Heavy Vehicle Use Tax (HVUT) payment to the Internal Revenue Service (IRS Form 2290)
- Proof of vehicle ownership

# Heavy-Vehicle Use Tax

Federal law requires owners of vehicles with a gross vehicle weight of 55,000 pounds or more to produce proof of payment of the Federal Heavy Vehicle Use Tax before issuance of registration plates or renewal stickers. Federal, state, and local government vehicles are exempt from this law.

For more information, call your local Internal Revenue Service office.

# **Proof of Vehicle Ownership**

Either a bill of sale or title must accompany the driver, regardless of whether the driver is the owner or not.

# **Special Credentials That May Be Required**

- Hazardous-Materials Permit\*
- Trip Permit(s)\*
  - Temporary Registration
  - Temporary Special-Fuel Use
- Oversize and Overweight Permits
  - Reducible-Load Permit\*
  - Non-Reducible-Load Permit\*
- Flashing Amber-Light Permit\*
- Operating Authority
  - Transportation Services Authority (TSA)
  - Written Authorization from DMV

<sup>\*</sup>See Chapter I: Permits, for more information.

# **Intrastate Operating Authority**

Transportation Services Authority (TSA)

Nevada requires operating authority for certain *intra*state carriers. The Transportation Services Authority (TSA) administers and enforces state laws pertaining to the following situations:

- For-hire *intra*state operators of any motor vehicle transporting passengers
- Carriers of household goods
- Tow-car operators

For more information, contact the following offices or website:

Transportation Services Authority 2290 South Jones Blvd., Suite 110 Las Vegas, NV 89146 (702) 486-3303

Northern Nevada Field Office (Sparks, NV) (775) 688-2833.

www.state.nv.us/b&i/tsa/

# Written Authorization from DMV

Intrastate operators of any motor vehicle transporting property for hire must secure written authorization from the Motor Carrier Section of the Compliance Enforcement Division of DMV. For information, call (775) 684-4711, access the DMV website at www.dmvnv.com, or visit one of the DMV offices listed on page 2.

# **Other Important Information**

# **Dyed-Fuel Enforcement**

Fuel intended for non-highway use, including that for farm and mining equipment, is dyed red to indicate that it is exempt from state and federal taxes. Except where expressly permitted under Nevada law, it is illegal to use dyed fuel on the highway, and thus avoid paying these taxes.

The Nevada Highway Patrol (NHP) and the Compliance Enforcement Division Heavy Duty Diesel Enforcement Officers are empowered to stop and inspect motor carriers who are using or transporting special fuel to determine if all taxes have been paid. Violators will be fined according to Nevada law.

For more details about Nevada's dyed fuel laws and fines, contact the Motor Carrier Section of the Compliance Enforcement Division at (775) 684-4711 Ext. 2, the Compliance Enforcement Division Heavy Duty Diesel Enforcement section at (775) 684-3562 (northern Nevada) or (702) 486-8626 (southern Nevada), the DMV website at www.dmvnv.com, or visit one of the DMV offices listed on page 2.

# Traffic Restrictions on Hoover Dam

Currently all Commercial Motor Vehicles are prohibited from traveling on U.S. 93 across Hoover Dam with the

following exceptions:

 Vehicles used by local businesses operating within 75 miles of Hoover Dam who meet a specific set of requirements and have a special permit. These vehicles will only be allowed to cross during daylight hours.

• Commercial passenger buses **not carrying luggage**. Buses will be searched before being allowed to cross.

Be aware that a vehicle may not be allowed to proceed should an officer consider the vehicle to be a threat, regardless of whether it meets any of the above conditions.

All other commercial traffic should use Highway 95 through Laughlin, Nevada. For more information contact the Lower Colorado Region of the Bureau of Reclamation at (702) 293-8421 or check the Hoover Dam Traffic Information

page at www.usbr.gov/lc/hooverdam/. Check the restrictions often, as special circumstances may cause them to change temporarily.

#### Vehicle Identification

All *inter*state vehicles, and *intra*state vehicles more than 10,000 pounds, must have proper identification and must have the operator's name firmly attached to each side of the power unit. Any removable sign or placard borne by an *inter*state carrier must be made of a durable material and must be readily legible from a distance of 50 feet.

*Inter*state motor carriers must display their U.S. DOT identification number issued by the Federal Motor Carrier Safety Administration (FMCSA).

#### **Emission Control**

Nevada currently has a heavy-vehicle, diesel-emission inspection program for vehicles weighing more than 10,000 pounds. These vehicles may be tested randomly on the highway, at checkpoints or voluntarily at fleet locations. All commercial vehicles operating in Nevada are subject to this test. No initial emission-control certificate is required.

For additional information, please contact the Emission Control office of the DMV's Compliance Enforcement Division in northern Nevada at (775) 684-3561 or in southern Nevada at (702) 486-8626.



# CHAPTER V: NEW PROGRAMS

# **Online Vehicle Registration**

The Department of Motor Vehicles has established a new program, MVS Express, which allows motor carriers to renew their vehicle registrations and file their quarterly fueltax returns online. Anyone interested in taking advantage of this convenient option should contact the Compliance Enforcement Division, Motor Carrier Section at (775) 684-4610, or go to Online Services at www.dmvnv.com.

# **Online Permitting**

Non-reducible-load permits for many vehicle combinations will soon be available online at www.nevadadot.com/business/trucker/. NDOT anticipates that these self-issued permits will save truckers time and money. Eventually, the system will be capable of issuing divisible-load permits as well.

# PrePass® Program

As in many states, Nevada has implemented an electronic screening program called PrePass. It allows truckers, under certain conditions, to bypass inspection stations. The system electronically determines if a truck is of legal weight and if the carrier has a good safety record. If so, it is likely the trucker will be able to bypass the station.

# **Highway Watch Program**

The Highway Watch program is a voluntary partnership between the American Trucking Associations, trucking companies, and state law enforcement. Under this program, professional truck drivers are trained to report dangerous highway conditions to the proper authorities. Highway Watch training also encompasses Homeland Security issues.

Contact the Nevada Motor Transport Association at (775) 673-6111 if you are interested in participating.

# **New Highway Projects**

As Nevada continues to experience rapid growth, it will become a greater challenge to ease congestion and keep goods flowing smoothly. The list below is a sample of the projects that will help this effort.

*Interstate 15:* Widening from four to six lanes from

Las Vegas to the California state line.

U.S. 95 in northwest Las Vegas: Widening to five lanes in each direction from the "Spaghetti Bowl" to Rainbow Boulevard and to three lanes in each direction from Rainbow Boulevard to Craig Road.

U.S. 93: Construction of the Hoover Dam Bypass

connecting Nevada and Arizona.

U.S. 93: Construction of a truck bypass on U.S. 93 through Boulder City.

U.S. 395: Construction of the U.S. 395 Bypass


through Carson City.

*Interstate 580 (U.S. 395):* Construction of a freeway from Mt. Rose Highway to 11 miles north of Carson City.

*Interstate 215:* Construction of a four-lane beltway

and the I-515/I-215 interchange.

*U.S.* 50/*U.S.* 50A/*U.S.* 95A: Replace a bridge and widen to four lanes from Fallon to Fernley.



# COMMERCIAL VEHICLE HANDBOOK

# **NOTES**

# COMMERCIAL VEHICLE HANDBOOK

# **NOTES**

# **Permit Quick Reference**

Vehicle ar	Vehicle and Load Information	nation				Perm	Permit Information		
Load or Permit	Sizo	Weight			Conta	Contact Information		i citorii C	, ,
Type	9710	(lbs.)	Agency	Phone	Fax	Web	Location	Duration	Cost
Reducible	> 70' long & ≤ 14' high &	80,001 to 129,000	DMV	(775) 684-	N/A	фолупу.сош	555 Wright Way Carson City, NV	555 Wright Way Annual - beg. Jan. 1 Carson City, NV	\$60/1000lbs. >80,000 lbs.
Load	≤ 8'-6" wide	≥ 80,000		4711			89711	Annual - beg. Jan. 1	\$10/vehicle ≤80,000 lbs.
Non-Reducible	> 70' long or > 14' high or	Anv	TOUN	(775)	(775)	nevadadot.com/	1263 S. Stewart	Single Trip - 5 days	\$25
Load	> 8'-6" wide			7410	7103	overdimensional/	NV, 89712	Annual - from issue	\$60
Any Load on	≤ 70' long & ≤ 14'hiah &	> 80.000	TOUN	(775)	(775)	nevadadot com/	1263 S. Stewart	Single Trip - 5 days	\$25
Interstate Hwy.	≤ 8'-6" wide			7410	7103		NV 89712	Annual - from issue	\$60
Hazardous	Λαγ	Per	MHN	(775) 684- 4622	N/A	nhp.state.nv.us	555 Wright Way Carson City, NV 89711	Annual - from issue	Varies
(placarded)	6	regulations	Comdata	(800) 749- 6058	N/A	comdata.com	N/A	Single Trip - 72 hrs.	\$125 + Comdata fee
Flashing Amber Lights	Any	Any	NHP	(775) 684- 4622	N/A	nhp.state.nv.us	555 Wright Way Carson City NV, 89712	Annual - July 1 to June 30	Varies
Temporary Trip Registration Fuel Tax	Any	> 26,000	DMV	(775) 684- 4711	N/A	dmvnv.com	555 Wright Way Carson City, NV 89711	Single Trip - 24 hrs from issue (buses 120 hrs.)	Registration: \$5 + 15¢/mi. Fuel Tax: \$30

≤ means less than or equal to < means less than > means greater than



These routes are maintained by the Nevada Department of Transportation

# Help Promote WRECK Less Driving

